

## 腫瘍関連、手術関連、その他

1. Shigeyuki Fujita, Shin-ichi Yamada, Kazuyuki Koike, Emiko Tanaka Isomura, Daichi Chikazu, Kenji Yamagata, Masahiro Iikubo, Satoshi Hino, Hideharu Hibi, Kouji Katsura, Seiji Nakamura, Takeshi Nomura, Yoshiyuki Mori, Itaru Tojyo, Narisato Kanamura, Iku Yamamori, Keiko Aota, Hideki Tanzawa, Hiroshi Kurita: The effects of perioperative oral management on perioperative serum albumin levels in patients treated surgically under general anesthesia: A multicenter retrospective analysis in Japan. *Medicine*® 2021 in press.
2. Nakanishi T, Yamamoto Y, Tanioka K, Shintani Y, Tojyo I and Fujita S: Effect of duration from lingual nerve injury to undergoing microneurosurgery on improving sensory and taste functions: retrospective study. *Maxillofac Plast Reconstr Surg* 41(1):61. doi: 10.1186/s40902-019-0244-y, 2019.
3. Fujita S, Mizobata N, Nakanishi T and Tojyo I: A case report of a long-term abandoned torn lingual nerve injury repaired by collagen nerve graft induced by lower third molar extraction. *Maxillofac Plast Reconstr Surg* 41(1):60. doi:10.1186/s40902-019-0243-z, 2019.
4. Tojyo I, Shintani Y, Nakanishi T, Okamoto K, Hiraishi Y, Fujita S, Enaka M, Sato F and Muragaki Y: PD-L1 expression correlated with p53 expression in oral squamous cell carcinoma. *Maxillofac Plast Reconstr Surg* 41(1):56. doi: 10.1186/s40902-019-0239-8, 2019.
5. Shintani Y, Ueda M, Tojyo I, Fujita S: Change in allodynia of patients with post-lingual nerve repair iatrogenic lingual nerve disorder. *Oral Maxillofac Surg* 24(1):25-29. doi: 10.1007/s10006-019-00803-z, 2020.
6. Tojyo I, Nakanishi T, Shintani Y, Okamoto K, Hiraishi Y, Fujita S: Risk of lingual nerve injuries in removal of mandibular third molars: a retrospective case-control study. *Maxillofac Plast Reconstr Surg* 41(1):40. doi: 10.1186/s40902-019-0222-4, 2019.
7. Sato F, Bhawal UK, Tojyo I, Fujita S, Murata SI, Muragaki Y: Differential expression of claudin-4, occludin, SOX2 and proliferating cell nuclear antigen between basaloid squamous cell carcinoma and squamous cell carcinoma. *Mol Med Rep* 20(2):1977-1985, 2019.
8. Shintani Yukari, Nakanishi Takashi, Ueda Masamichi, Mizobata Naoki, Tojyo Itaru, Fujita Shigeyuki: Comparison of Subjective and Objective Assessments of Neurosensory Function after Lingual Nerve Repair. *Medical Principle*. 28(3):231-235. doi: 10.1159/000497610, 2019.
9. Hasegawa T, Hayashida S, Kondo E, Takeda Y, Miyamoto H, Kawaoka Y, Ueda N, Iwata E, Nakahara H, Kobayashi M, Soutome S, Yamada SI, Tojyo I, Kojima Y, Umeda M, Fujita S, Kurita H, Shibuya Y, Kirita T, Komori T: Medication-related osteonecrosis of the jaw after tooth extraction in cancer patients: a multicenter retrospective study. *Osteoporos Int* 30(1):231-239, 2019.
10. Naoki Mizobata, Takashi Nakanishi, Shinsuke Ieda, Shigeru Suzuki, Yuya Takeda, Masamichi

- Ueda, Tomoji Fukutani, Itaru Tojyo, Shigeyuki Fujita. Iatrogenic lingual nerve injury induced to the inappropriate procedure on lower third molar extraction: reports of two cases and literature review: *Oral Science in Japan*, Editorial board of *Oral Science in Japan*, 69-72, The Japanese Stomatological Society, Tokyo, 2018.
11. Takashi Nakanishi, Naoki Mizobata, Yuya Takeda, Shinsuke Ieda, Yukari Shintani, Shigeru Suzuki, Kenjiro Okamoto, Itaru Tojyo, Shigeyuki Fujita. A case of spindle cell squamous cell carcinoma induced by frequent episodes of herpes stomatitis. *Oral Science in Japan*, Editorial board of *Oral Science in Japan*, 73-75, The Japanese Stomatological Society, Tokyo, 2018.
  12. Shogo Ito, Kenjiro Okamoto, Takashi Nakanishi, Itaru Tojyo, and Shigeyuki Fujita. Evaluation of patients with oral and maxillofacial injuries transferred to the Emergency Unit by a Doctor Copter. *Oral Science in Japan*, Editorial board of *Oral Science in Japan*, 23-25, The Japanese Stomatological Society, Tokyo, 2016.
  13. Yukihiro Hiraishi, Itaru Tojyo, Koji Tanimoto, Shigeyuki Fujita: A Case of Verruciform Xanthoma Arising in the Tongue. *J Clin Diagn Res* 10(12):7-8, 2016.
  14. Shinohara Y, Matsumoto T, Kiga N, Tojyo I, Fujita S: Neurilemmoma of the Vagus Nerve in the Poststyloid Parapharyngeal Space. *J Clin Diagn Res* 10(1): ZD17-9, 2016.
  15. Itaru Tojyo, Kenjiro Okamoto, Yuji Shinohara, Yukihiro Hiraishi, Norifumi Kiga, Shigeyuki Fujita. Inflammatory pseudotumor in the submandibular region: A case report with immunohistochemical findings. *Case Studies in Surgery* 2(3): 18-22, 2016.
  16. Takahashi K, Togo Y, Saito K, Kiso H, Huang B, Tsukamoto H, Fujimura K, Bessho K. Two non-syndromic cases of multiple supernumerary teeth with different characteristics and a review of the literature. *J Oral and Maxillofac Surg, Med, and pathol.* 28: 250-254, 2016.
  17. Hitoshi Maezawa, Itaru Tojyo, Kazuya Yoshida, Shigeyuki Fujita: Recovery of Impaired somatosensory evoked fields after improvement of tongue sensory deficits with neurosurgical reconstruction. *J Oral Maxillofac Surg* 74(7):1473-82, 2016.
  18. Yuya Takeda, Itaru Tojyo, Yukari Shintani, Kenjiro Okamoto, Kenji Negoro, Norifumi Kiga and Shigeyuki Fujita. A clinical study of maxillofacial fractures treated in cooperation with other clinical departments during the past 5 years. *Oral Science in Japan*, Editorial board of *Oral Science in Japan*, 29-30, The Japanese Stomatological Society, Tokyo, 2016.
  19. Kenjiro Okamoto, Norifumi Kiga, Takashi Nakanishi, Itaru Tojyo, Shigeyuki Fujita. Surgical treatment of a case of central squamous cell carcinoma of the mandible that metastasized to the skull base by perineural invasion. *Oral Science in Japan*, Editorial board of *Oral Science in Japan*, 105-106, The Japanese Stomatological Society, Tokyo, 2015.
  20. Yukari Shintani, Itaru Tojyo, Norifumi Kiga, Negoro Kenji, Yukihiro Hiraishi, Keiichi Mori,

Shogo Itou, Yuya Takeda, Saburo Takayama, Kenjiro Okamoto, Masamichi Ueda and Shigeyuki Fujita. A clinic- statistical study of maxillofacial fractures over the course of 5 years. Oral Science in Japan, Editorial board of Oral Science in Japan, 89-92, The Japanese Stomatological Society, Tokyo, 2015.

21. Idrees SR, Fujimura K, Bessho K. Dental trauma related to general anesthesia: should the anesthesiologist perform a preanesthetic dental evaluation? Oral Health Dent Manag. 13(2):271-4, 2014.
22. Yukihiro Hiraishi, Takeshi Wada, Ken Nakatani, Itaru Tojyo, Takashi Matsumoto, Norifumi Kiga, Kenji Negoro, Shigeyuki Fujita: EGFR Inhibitor Enhances Cisplatin Sensitivity of Oral Squamous Cell Carcinoma Cell Lines. Pathol Oncol Res 14:39-43, 2008.
23. Itaru Tojyo, Akihiko Yamaguchi, Tetsuya Nitta, Hiroaki Yoshida, Shigeyuki Fujita, and Toshimichi Yoshida: Effect of hypoxia and interleukin-1 $\beta$  on expression of tenascin-C in temporomandibular joint. Oral Diseases 14: 45-50, 2008.
24. Yukihiro Hiraishi, Takeshi Wada, Ken Nakatani, Itaru Tojyo, Takashi Matsumoto, Kenji Negoro, Shigeyuki Fujita: Expression of EGFR and p-EGFR correlates with cisplatin sensitivity in oral squamous cell carcinomas. Cancer Ther 5: 477-484, 2007.
25. Akihiko Yamaguchi, Itaru Tojyo, Hiroaki Yoshida, Shigeyuki Fujita: Role of hypoxia and interleukin-1 $\beta$  in gene expressions of matrix metalloproteinases in temporomandibular joint disc cells. Arch Oral Biol 50(1): 81-7, 2005.
26. Fujimura K, Nishida M, Son A, Kunishima F, Segami N, Iizuka T, Kitaichi M. : Heterotopic calcification in advanced cervical lymph nodes with metastasis from squamous cell carcinoma of tongue: Report of two cases. Oral Oncology Extra. 40:117-122, 2004.
27. Bessho K, Fujimura K, Iizuka T. Experimental long-term study of titanium ions eluted from pure titanium miniplates. J Biomed Mater Res. 1995; 29(7):901-4.

#### 顎変形症関連 （主に新しい外科矯正手術の開発について： IVSRO 下顎枝垂直矢状骨切り術）

1. Fujimura K, Kazuhisa Bessho. : Rigid fixation of intraoral vertico-sagittal ramus osteotomy for mandibular prognathism. A Textbook of Advanced Oral and Maxillofacial Surgery. Chapter 27; Edited by Mohammad Hosein, Kalantar Motamedi. InTech. Croatia. pp 719-723. 2013.
2. Fujimura K, Bessho K. Rigid fixation of intraoral vertico-sagittal ramus osteotomy for mandibular prognathism. J Oral Maxillofac Surg. 2012; 70(5):1170-3.
3. Fujimura K, Segami N, Kobayashi S. Anatomical study of the complications of intraoral vertico-sagittal ramus osteotomy. J Oral Maxillofac Surg. 2006; 64(3):384-9.
4. Fujimura K, Segami N, Sato J, Kaneyama K, Nishimura M. : Comparison of the clinical outcomes

of patients having sounds in the temporomandibular joint with skeletal mandibular deformities treated by vertico-sagittal ramus osteotomy or vertical ramus osteotomy. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 99(1):24-9, 2005.

5. Fujimura K, Segami N, Sato J, Kanayama K, Nishimura M, Demura N. Advantages of intraoral verticosagittal ramus osteotomy in skeletofacial deformity patients with temporomandibular joint disorders. *J Oral Maxillofac Surg.* 2004; 62(10):1246-52.
6. Nishimura M, Segami N, Sato J, Honjou M, Fujimura K. Transitional joint effusion in the mandibular prognathic surgery patient: intraoral vertical ramus osteotomy versus sagittal split ramus osteotomy. *J Oral Maxillofac Surg.* 2004; 62(5):545-8. 2

### 顎関節関連

1. Keiichi Mori, Kenji Negoro, Yukari Shintani, Naiki Mizobata, Saki Hayashida, Yukihiro Hiraishi, Norifumi Kiga, Itaru Tojyo and Shigeyuki Fujita. A clinico-statistical study of patients with temporomandibular disorders in our department. *Oral Science*, Editorial board of Oral Science in Japan, The Japanese Stomatological Society, Tokyo, 27-28, 2016.
2. Okamoto K, Kiga N, Shinohara Y, Tojyo I, Fujita S: Effect of interleukin-1beta and dehydroepiandrosterone on the expression of lumican and fibromodulin in fibroblast-like synovial cells of the human temporomandibular joint. *Eur J Histochem* 59:2440, 30-38, 2015.
3. Shinohara Y, Okamoto K, Goh Y, Kiga N, Tojyo I, Fujita S: Inhibition of fibrous adhesion formation in the temporomandibular joint of tenascin-C knockout mice. *Eur J Histochem* 58:2337, 263-270, 2014.
4. Shigeyuki Fujita, Itaru Tojyo, Masai Yamada, Yoshihiko Go, Takashi Matsumoto., Norifumi Kiga: Outcome following lingual nerve repair with vein graft cuff: A preliminary report. *J Oral Maxillofac Surg.* 72(7): 1433e1-7, 2014.
5. Huang B, Takahashi K, Sakata T, Kiso H, Sugai M, Fujimura K, Shimizu A, Kosugi S, Sato T, Bessho K. Increased risk of temporomandibular joint closed lock: a case-control study of ANKH polymorphisms. *PLoS One.* 2011;6(10):e25503. doi:10.1371/journal.pone.0025503.
6. Kiga K, Tojyo I, Matsumoto T, Hiraishi Y, Shinohara Y, Makino S, Fujita S: Expression of lumican and fibromodulin following interleukin-1 beta stimulation of disc cells of the human temporomandibular joint. *Eur J Histochem* 55:e11, 63-67, 2011.
7. Koyama N, Okubo Y, Nakao K, Osawa K, Fujimura K, Bessho K. Pluripotency of mesenchymal cells derived from synovial fluid in patients with temporomandibular joint disorder. *Life Sci.* 2011; 89(19-20):741-7. doi:10.1016/j.lfs.2011.09.005.
8. Takashi Matsumoto, Masaharu Inayama, Itaru Tojyo, Norifumi Kiga, Shigeyuki Fujita: Expression of hyaluronan synthase 3 in deformed human temporomandibular joint discs: in vivo

- and in vitro studies. *Eur J Histochem* 54(4): e50, 2010.
9. Norifumi Kiga, Itaru Tojyo, Takashi Matsumoto, Yukihiro Hiraishi, Yuji Shinohara, Shigeyuki Fujita: Expression of lumican related to CD34 and VEGF in the articular disc of the human temporomandibular joint. *Eur J Histochem* 54(4):e34, 2010.
  10. Takashi Matsumoto, Itaru Tojyo, Norifumi Kiga, Yukihiro Hiraishi, Shigeyuki Fujita: Expression of ADAMTS-5 in deformed human temporomandibular joint discs. *Histol Histopathol* 23(12):1485-93, 2008.
  11. Yoshida H, Fukumura Y, Tojyo I, Yamaguchi A, Tsuji K, Sako J, Yamada K, Morita S: Operation with a single-channel thin-fibre arthroscope in patients with internal derangement of the temporomandibular joint. *Br J Oral Maxillofac Surg* 46(4): 313-4, 2008.
  12. Takafuji H, Suzuki T, Okubo Y, Fujimura K, Bessho K. Regeneration of articular cartilage defects in the temporomandibular joint of rabbits by fibroblast growth factor-2: a pilot study. *Int J Oral Maxillofac Surg.* 2007; 36(10):934-7.
  13. Kaneyama K, Segami N, Sato J, Fujimura K, Nagao T, Yoshimura H. Prognostic factors in arthrocentesis of the temporomandibular joint: Comparison of bradykinin, leukotriene B4, prostaglandin E2, and substance P level in synovial fluid between successful and unsuccessful cases. *J Oral Maxillofac Surg.* 2007; 65(2):242-7.
  14. Sato J, Segami N, Yoshitake Y, Kaneyama K, Yoshimura H, Fujimura K, Kitagawa Y. Specific expression of substance P in synovial tissues of patients with symptomatic, non-reducing internal derangement of the temporomandibular joint: comparison with clinical findings. *Br J Oral Maxillofac Surg.* 2007; 45(5):372-7.
  15. Kaneyama K, Segami N, Shin-Ichi T, Fujimura K, Sato J, Nagao T. Anchored disc phenomenon with a normally positioned disc in the temporomandibular joint: characteristics and behaviour. *Br J Oral Maxillofac Surg.* 2007; 45(4):279-83.
  16. Fujimura K, Segami N, Yoshitake Y, Tsuruoka N, Kaneyama K, Sato J, Kobayashi S. Electrophoretic separation of the synovial fluid proteins in patients with temporomandibular joint disorders. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2006; 101(4):463-8.
  17. Sato J, Segami N, Yoshitake Y, Kaneyama K, Abe A, Yoshimura H, Fujimura K. Expression of capsaicin receptor TRPV-1 in synovial tissues of patients with symptomatic internal derangement of the temporomandibular joint and joint pain. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2005; 100(6):674-81.
  18. Fujimura K, Kobayashi S, Yoshitake Y, Tsuruoka N, Kaneyama K, Segami N. Electrophoretically separation of the synovial fluid proteins in rabbit temporomandibular arthritis induced by mechanical loading. *J Oral Pathol Med.* 2005; 34(9):546-51.
  19. Kaneyama K, Segami N, Sun W, Sato J, Fujimura K. Levels of soluble cytokine 3 factors in

- temporomandibular joint effusions seen on magnetic resonance images.  
*Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2005; 99(4):411-8.
20. Kaneyama K, Segami N, Sun W, Sato J, Fujimura K. Analysis of tumor necrosis factor-alpha, interleukin-6, interleukin-1beta, soluble tumor necrosis factor receptors I and II, interleukin-6 soluble receptor, interleukin-1 soluble receptor type II, interleukin-1 receptor antagonist, and protein in the synovial fluid of patients with temporomandibular joint disorders.  
*Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2005; 99(3):276-84.
  21. Sato J, Segami N, Kaneyama K, Mashiyama Y, Fujimura K, Yoshitake Y. Vascular endothelial growth factor concentrations in synovial fluids of patients with symptomatic internal derangement of the temporomandibular joint. *J Oral Pathol Med.* 2005; 34(3):170-7.
  22. Fujimura K, Kobayashi S, Suzuki T, Segami N. Histologic evaluation of temporomandibular arthritis induced by mild mechanical loading in rabbits. *J Oral Pathol Med.* 2005; 34(3):157-63.
  23. Fujimura K, Segami N, Sato J, Kaneyama K, Nishimura M. Comparison of the clinical outcomes of patients having sounds in the temporomandibular joint with skeletal mandibular deformities treated by vertico-sagittal ramus osteotomy or vertical ramus osteotomy. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2005; 99(1):24-9.
  24. Sato J, Segami N, Kaneyama K, Yoshimura H, Fujimura K, Yoshitake Y. Relationship of calcitonin gene-related peptide in synovial tissues and temporomandibular joint pain in humans. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2004; 98(5):533-40.
  25. Itaru Tojyo, Akihiko Yamaguchi, Harumi Ozaki, Hiroaki Yoshida, Shigeyuki Fujita: The expression of fibroblast growth factor receptor-3 in synovial osteochondromatosis of the temporomandibular joint. *Arch Oral Biol* 49 : 591-594, 2004.
  26. Shigeyuki Fujita, Hiroaki Yoshida, Itaru Tojyo, Takeshi Wada, Kenichiro Murakami, Tadahiko Iizuka. Synovial chondromatosis of the temporomandibular joint: clinical and immunohistopathological considerations. *Br J Oral Maxillofac Surg* 42: 259-260, 2004.
  27. Kaneyama K, Segami N, Nishimura M, Sato J, Suzuki T, Fujimura K. Osteoclastogenesis inhibitory factor/osteoprotegerin in synovial fluid from patients with temporomandibular disorders. *Int J Oral Maxillofac Surg.* 2003; 32(4):404-7.
  28. Sato J, Segami N, Nishimura M, Suzuki T, Kaneyama K, Fujimura K. Clinical evaluation of arthroscopic eminoplasty for habitual dislocation of the temporomandibular joint: comparative study with conventional open eminectomy. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2003; 95(4):390-5.
  29. Fujimura K, Bessho K, Okubo Y, Kusumoto K, Segami N, Iizuka T. The effect of fibroblast growth factor-2 on the osteoinductive activity of recombinant human bone morphogenetic protein-2 in rat muscle. *Arch Oral Biol.* 2002; 47(8):577-84.
  30. Suzuki T, Bessho K, Fujimura K, Okubo Y, Segami N, Iizuka T. Regeneration of defects in the

- articular cartilage in rabbit temporomandibular joints by bone morphogenetic protein-2. *Br J Oral Maxillofac Surg.* 2002; 40(3):201-6.
31. Suzuki T, Bessho K, Fujimura K, Okubo Y, Segami N, Iizuka T. Regeneration of defects in the articular cartilage in rabbit temporomandibular joints by bone morphogenetic protein-2. *Br J Oral Maxillofac Surg.* 2002; 40(3):201-6.
  32. Murakami K, Segami N, Fujimura K, Iizuka T. Correlation between pain and synovitis in patients with internal derangement of the temporomandibular joint. *J Oral Maxillofac Surg.* 1991; 49(11):1159-61.
  33. Kaneyama K, Segami N, Nishimura M, Sato J, Fujimura K, Yoshimura H. The ideal lavage volume for removing bradykinin, interleukin-6, and protein from the temporomandibular joint by arthrocentesis. *J Oral Maxillofac Surg.* 2004; 62(6):657-61.
  34. Nishimura M, Segami N, Kaneyama K, Sato J, Fujimura K. Comparison of cytokine level in synovial fluid between successful and unsuccessful cases in arthrocentesis of the temporomandibular joint. *J Oral Maxillofac Surg.* 2004; 62(3):284-7.

#### 生体材料・再生医療関連

1. Isobe Y, Koyama N, Nakao K, Osawa K, Ikeno M, Yamanaka S, Okubo Y, Fujimura K, Bessho K. Comparison of human mesenchymal stem cells derived from bone marrow, synovial fluid, adult dental pulp, and exfoliated deciduous tooth pulp. *Int J Oral Maxillofac Surg.* 2015 Jul 30. pii: S0901-5027(15)00256-8. doi: 10.1016/j.ijom.2015.06.022.
2. Nakao K, Osawa K, Yasoda A, Yamanaka S, Fujii T, Kondo E, Koyama N, Kanamoto N, Miura M, Kuwahara K, Akiyama H, Bessho K, Nakao K. The Local CNP/GC-B system in growth plate is responsible for physiological endochondral bone growth. *Sci Rep* 5: 10554. 2015.
3. Koyama N, Kondo S, Watanabe T, Nishioka M, Kaizaki Y, Kawai Y. A case of IgG4-related disease founded from sclerosing sialadenitis. *J Oral Maxillofac Surg Med Path* 27(6): 812-6. 2015
4. Koyama N, Miura M, Nakao K, Kondo E, Fujii T, Taura D, Kanamoto N, Sone M, Yasoda A, Arai H, Bessho K, Nakao K. Human induced pluripotent stem cells differentiated into chondrogenic lineage via generation of mesenchymal progenitor cells. *Stem Cells Dev* 22(1): 102-13. 2013. 5
5. Nakao K, Okubo Y, Yasoda A, Koyama N, Osawa K, Isobe Y, Kondo E, Fujii T, Miura M, Nakao K, Bessho K. The effects of C-type natriuretic peptide on craniofacial skeletogenesis. *J Dent Res* 92(1): 58-64. 2013
6. Osawa K, Okubo Y, Nakao K, Koyama N, Bessho K. Feasibility of BMP-2 Gene Therapy Using an Ultra-Fine Needle. Chapter 9. Targets in Gene Therapy, Yongping You (Ed.), ISBN: 978-953-307-540-2, InTech, p159-166, 2011
7. Koyama N, Okubo Y, Nakao K, Bessho K. Evaluation of Pluripotency in Human Dental Pulp

- Cells. *J Oral Maxillofac Surg* 67(3): 501-506. 2009
8. Osawa K, Okubo Y, Nakao K, Koyama N, Bessho K. Osteoinduction by microbubble-enhanced transcutaneous sonoporation of human bone morphogenetic protein-2. *J Gene Med* 11(7): 633–641. 2009
  9. Osawa K, Okubo Y, Nakao K, Koyama N, Bessho K. Osteoinduction by repeat plasmid injection of human bone morphogenetic protein-2. *J Gene Med* 12(12): 937-44. 2010
  10. Koyama N, Okubo Y, Nakao K, Osawa K, Bessho K. Experimental study of osteoinduction using a new material as a carrier for bone morphogenetic protein-2. *Br J Oral Maxillofac Surg* 49(4): 314-8. 2011
  11. Okubo Y, Reddi AH, Nakao K, Koyama N, Osawa K, Bessho K. Terminal Differentiation of Chondrocytes is Stimulated by Thyroxine. *Current Topics in Biochemical Research, Research Signpost, Trivandrum*, p57-62, 2007.
  12. Kusumoto K, Bessho K, Fujimura K, Okubo Y, Wang Y, Kakudo N, Ogawa Y. Tissue reaction at the implantation of recombinant human bone morphogenetic protein-2 into the skeletal muscle. *Int J Tissue React*. 2005; 27(4):181-8.
  13. Fujimura K, Bessho K, Okubo Y, Segami N, Iizuka T. A bioactive bone cement containing Bis-GMA resin and A-W glass-ceramic as an augmentation graft material on mandibular bone. *Clin Oral Implants Res*. 2003; 14(5):659-67.
  14. Okubo Y, Bessho K, Fujimura K, Kusumoto K, Suzuki T, Segami N, Ogawa Y, Iizuka T. Preclinical study of recombinant human bone morphogenetic protein-2: application of hyperbaric oxygenation during bone formation under unfavourable condition. *Int J Oral Maxillofac Surg*. 2003; 32(3):313-7.
  15. Fujimura K, Bessho K, Okubo Y, Kusumoto K, Segami N, Iizuka T. The effect of fibroblast growth factor-2 on the osteoinductive activity of recombinant human 6 bone morphogenetic protein-2 in rat muscle. *Arch Oral Biol*. 2002; 47(8):577-84.
  16. Kusumoto K, Bessho K, Fujimura K, Akioka J, Okubo Y, Wang Y, Iizuka T, Ogawa Y. Osteoinduction by recombinant human bone morphogenetic protein-2 in muscles of non-human primates. *J Int Med Res*. 2002; 30(3):251-9.
  17. Okubo Y, Bessho K, Fujimura K, Kaihara S, Iizuka T, Miyatake S. The time course study of osteoinduction by bone morphogenetic protein-2 via adenoviral vector. *Life Sci*. 2001; 70(3):325-36.
  18. Okubo Y, Bessho K, Fujimura K, Kusumoto K, Ogawa Y, Iizuka T. Expression of bone morphogenetic protein in the course of osteoinduction by recombinant human bone morphogenetic protein-2. *Clin Oral Implants Res*. 2002; 13(1):80-5.
  19. Fujimura K, Bessho K, Kusumoto K, Konishi Y, Ogawa Y, Iizuka T. Experimental osteoinduction by recombinant human bone morphogenetic protein 2 in tissue with low blood

- flow: a study in rats. *Br J Oral Maxillofac Surg.* 2001; 39(4):294-300.
20. Okubo Y, Bessho K, Fujimura K, Kusumoto K, Ogawa Y, Iizuka T. Effect of hyperbaric oxygenation on bone induced by recombinant human bone morphogenetic protein-2. *Br J Oral Maxillofac Surg.* 2001; 39(2):91-5.
  21. Bessho K, Konishi Y, Kaihara S, Fujimura K, Okubo Y, Iizuka T. Bone induction by *Escherichia coli* -derived recombinant human bone morphogenetic protein-2 compared with Chinese hamster ovary cell-derived recombinant human bone morphogenetic protein-2. *Br J Oral Maxillofac Surg.* 2000; 38(6):645-649.
  22. Kusumoto K, Bessho K, Fujimura K, Akioka J, Okubo Y, Ogawa Y, Iizuka T. The effect of blood supply in muscle and an elevated muscle flap on endogenous tissue-engineered bone by rhBMP-2 in the rat. *Ann Plast Surg.* 2000; 45(4):408-14.
  23. Okubo Y, Bessho K, Fujimura K, Kusumoto K, Ogawa Y, Iizuka T. Osteogenesis by recombinant human bone morphogenetic protein-2 at skeletal sites. *Clin Orthop Relat Res.* 2000; (375):295-301.
  24. Okubo Y, Bessho K, Fujimura K, Kusumoto K, Ogawa Y, Iizuka T. Effect of elcatonin on osteoinduction by recombinant human bone morphogenetic protein-2. *Biochem Biophys Res Commun.* 2000; 269(2):317-21.
  25. Okubo Y, Bessho K, Fujimura K, Konishi Y, Kusumoto K, Ogawa Y, Iizuka T. Osteoinduction by recombinant human bone morphogenetic protein-2 at intramuscular, intermuscular, subcutaneous and intrafatty sites. *Int J Oral Maxillofac Surg.* 2000; 29(1):62-6. 7
  26. Okubo Y, Bessho K, Fujimura K, Iizuka T, Miyatake SI. Osteoinduction by bone morphogenetic protein-2 via adenoviral vector under transient immunosuppression. *Biochem Biophys Res Commun.* 2000; 267(1):382-7.
  27. Yoshida K, Bessho K, Fujimura K, Konishi Y, Kusumoto K, Ogawa Y, Iizuka T. Enhancement by recombinant human bone morphogenetic protein-2 of bone formation by means of porous hydroxyapatite in mandibular bone defects. *J Dent Res.* 1999; 78(9):1505-10.
  28. Okubo Y, Bessho K, Fujimura K, Iizuka T, Miyatake S. Expression of bone morphogenetic protein-2 via adenoviral vector in C2C12 myoblasts induces differentiation into the osteoblast lineage. *Biochem Biophys Res Commun.* 1999; 262(3):739-43.
  29. Bessho K, Kusumoto K, Fujimura K, Konishi Y, Ogawa Y, Tani Y, Iizuka T. Comparison of recombinant and purified human bone morphogenetic protein. *Br J Oral Maxillofac Surg.* 1999; 37(1):2-5.
  30. Okubo Y, Bessho K, Fujimura K, Kusumoto K, Ogawa Y, Tani Y, Iizuka T. Comparative study of intramuscular and intraskeletal osteogenesis by recombinant human bone morphogenetic protein-2. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 1999; 87(1):34-8.
  31. Kusumoto K, Bessho K, Fujimura K, Akioka J, Ogawa Y, Iizuka T. Prefabricated

- muscle flap including bone induced by recombinant human bone morphogenetic protein-2: an experimental study of ectopic osteoinduction in a rat latissimus dorsi muscle flap. *Br J Plast Surg.* 1998; 51(4):275-80.
32. Yoshida K, Bessho K, Fujimura K, Kusumoto K, Ogawa Y, Tani Y, Iizuka T. Osteoinduction capability of recombinant human bone morphogenetic protein-2 in intramuscular and subcutaneous sites: an experimental study. *J Craniomaxillofac Surg.* 1998; 26(2):112-5.
  33. Kusumoto K, Bessho K, Fujimura K, Ogawa Y, Iizuka T. Intramuscular osteoinduction and bone marrow formation by the implantation of rhBMP-2 with atelopeptide type I collagen. *Br J Oral Maxillofac Surg.* 1997 Dec;35(6):433-7.
  34. Kusumoto K, Bessho K, Fujimura K, Akioka J, Ogawa Y, Iizuka T. Comparison of ectopic osteoinduction in vivo by recombinant human BMP-2 and recombinant *Xenopus* BMP-4/7 heterodimer. *Biochem Biophys Res Commun.* 1997; 239(2):575-9.
  35. Kusumoto K, Bessho K, Fujimura K, Konishi Y, Ogawa Y, Iizuka T. Self-regenerating bone implant: ectopic osteoinduction following intramuscular implantation of a combination of rhBMP-2, atelopeptide type I collagen and porous hydroxyapatite. *J Craniomaxillofac Surg.* 1996; 24(6):360-5. 8
  36. Kusumoto K, Bessho K, Fujimura K, Konishi Y, Ogawa Y, Iizuka T. Comparative study of bone marrow induced by purified BMP and recombinant human BMP-2. *Biochem Biophys Res Commun.* 1995; 215(1):205-11.
  37. Fujimura K, Bessho K, Kusumoto K, Ogawa Y, Iizuka T. Experimental studies on bone inducing activity of composites of atelopeptide type I collagen as a carrier for ectopic osteoinduction by rhBMP-2. *Biochem Biophys Res Commun.* 1995; 208(1):316-22.